ATTACHMENT 4 - CONTRACT DATA REQUIRMENTS LIST

1. NSN 2540-01-110-9952, TDP 12294823, CUSHION BACK
2. NSN 1220-01-018-9960, TDP 11743426, HEADREST ASSEMBLY
3. NSN 2540-00-445-9273, TDP 10905483, LOADER SEAT ASSEMBLY
4. NSN 1240-00-394-3146, TDP 11727445, HEADREST OPTICAL INSERT
5. NSN 2540-01-324-2222, TDP 12553401, SEAT VEHICULAR
6. NSN 1005-01-108-7892, TDP 12294786, PAD CUSHIONING
7. NSN 1005-01-108-4976, TDP 12294787, PAD CUSHIONING
8. NSN 5340-01-129-6090, TDP 12308187, PAD CUSHIONING
9. NSN 5340-01-129-6091, TDP 12308188, PAD CUSHIONING
10. NSN 2540-00-937-1945, TDP 10911472, SEAT VEHICULAR
11. NSN 6650-01-077-7594, TDP 12278904, HEADREST OPTICAL INSTRUMENTS
12. NSN 2590-01-076-6849, TDP 12278904, PAD CUSHIONING
13. NSN 5340-01-112-8600, TDP 12294833, PAD CUSHIONING
14. NSN 2540-01-320-5629, TDP 12553450, BACKREST CUSHION

The following Contract Data Requirements List is applicable to the NSN's represented above

```
                         CONTRACT DATA REQUIREMENTS LIST
                           DD FORM 1423 (MECHANIZED)
              CATEGORY:  MISC   SYSTEM/ITEM:
              TO CONTRACT/PRON:
1. SEQUENCE NUMBER                              14.
DRFT/REG/REPRO

                                                DISTRIBUTION
COPIES
2. TITLE OF DATA ITEM
3. SUBTITLE
4. DATA ITEM NUMBER
5. CONTRACT REFERENCE
6. TECHNICAL OFFICE   7. DD  8. APP  9. DIST STATEMENT
                         250    CODE     REQUIRED
10. FREQUENCY  11. AS OF DATE                      15.  TOTAL:
12. DATE OF 1ST SUBMISSION   13. DATE OF SUBSEQUENT SUBMISSION
16. REMARKS
```
1. A001	14.
	SEE ADDRESS CODE /
/	
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION /
/	
3.	ATTACHED*** /
/	
4. DI-CMAN-80639C*	

5. SECTION C

6. AMSTA-AR-QAW   7. LT 8. -   9. **

10. ASREQ   11. ---   15. TOTAL0/ 0/ 0

12. ASREQ   13. ASREQ
16. REMARKS
    *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION
FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE
IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT
WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR.
***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES
MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-
DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM ARE THE PREFERRED

METHOD OF SUBMISSION FOR THIS DATA ITEM.(DDFORMS 1692,1694,1695)

1. A002	14.		
	SEE ADDRESS CODE	/	/
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/	/
3.	ATTACHED***	/	/
4. DI-CMAN-80640C*			

5. SECTION C

6. AMSTA-AR-QAW   7. LT 8. -   9. **

10. ASREQ   11. ---   15. TOTAL   0/
0/ 0

12. ASREQ   13. ASREQ
16. REMARKS
    *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION
FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE
POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION
SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN
GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION
STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR.
***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA
    .ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS
LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM
ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS
1692,1694 AND 1695)

1. A003	14.		
	SEE ADDRESS CODE	/	/
2. NOTICE OF REVISION (NOR)	DISTRIBUTION	/	/
3.	ATTACHED**	/	/
4. DI-CMAN-80642C*			

5. SECTION C

6. AMSTA-AR-QAW   7. LT 8. -   9. ***

```
10. ASREQ    11. ---                              15. TOTAL    0/ 0/ 0

12. ASREQ                    13. ASREQ

16. REMARKS
    *DELETE PARAGRAPH 2 OF DID.  SEE ATTACHED DATA DELIVERY DESCRIPTION
FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN
GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT
ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS
THAN 7MB. THE FORMS LOCATED AT
HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM ARE THE
PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694
AND 1695)
    ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE
DOD CONFIGURATION MANAGER.
```
The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

15. NSN 2540-01-256-2298, TDP 9379714, Seat Back Cushion.

```
                        CONTRACT DATA REQUIREMENTS LIST
                         DD FORM 1423 (MECHANIZED)
             CATEGORY:  MISC   SYSTEM/ITEM: SEAT BACK CUSHION
             TO CONTRACT/PRON:
1. SEQUENCE NUMBER                              14.
DRFT/REG/REPRO
                                                DISTRIBUTION
COPIES
2. TITLE OF DATA ITEM
3. SUBTITLE
4. DATA ITEM NUMBER
5. CONTRACT REFERENCE
6. TECHNICAL OFFICE   7. DD  8. APP  9. DIST STATEMENT
                         250    CODE    REQUIRED
10. FREQUENCY  11. AS OF DATE                     15.  TOTAL:
12. DATE OF 1ST SUBMISSION   13. DATE OF SUBSEQUENT SUBMISSION
16. REMARKS
```

```
1. A001                                  14.
                                         SEE ADDRESS CODE    /  /
2. ENGINEERING CHANGE PROPOSAL (ECP)     DISTRIBUTION        /  /
3.                                       ATTACHED***         /  /

4. DI-CMAN-80639C*

5. SECTION C

6. AMSTA-AR-QAW      7. LT  8. -    9. **

10. ASREQ     11. ---                          15. TOTAL    0/ 0/ 0

12. ASREQ                   13. ASREQ
16. REMARKS
     *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION
FOR CONTENT OF THE ECP.  CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE
IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT
WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR.
***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL.  ELECTRONIC FILES
MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-
DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM ARE THE
PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM.(DDFORMS
1692,1694,1695)
```

```
1. A002                                  14.
                                         SEE ADDRESS CODE    /  /
2. REQUEST FOR DEVIATION (RFD)****       DISTRIBUTION        /  /
3.                                       ATTACHED***         /  /
4. DI-CMAN-80640C*
```

5. SECTION C

6. AMSTA-AR-QAW   7. LT 8. -   9. **

10. ASREQ   11. ---   15. TOTAL   0/
0/ 0

12. ASREQ   13. ASREQ

16. REMARKS
    *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION
FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE
POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION
SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE
IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION
STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR.
***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES
MUST BE LESS THAN 7MB. THE FORMS LOCATED AT
    HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM ARE THE
PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694
AND 1695)

    ****THE CONTRACTOR SHALL IDENTIFY IF THE RFD IS PRIOR TO MFG OR
NON-CONFORMING MTRL. A PRIOR TO MFG DESCRIBES A PROPOSED DEPARTURE FROM
CONFIG DOCS FOR A SPECIFIC NUMBER OF UNITS OR FOR A SPECIFIED PERIOD OF
TIME. A NON-CONFORMING MTRL RFD IS USED TO OBTAIN AUTH TO DELIVER NON-
CONFORMING MTRL WHICH DOES NOT MEET THE CONFIG DOCS BUT IS SUITABLE FOR
USE AS IS OR AFTER REPAIR.

1. A003   14.
                                      SEE ADDRESS CODE   / /
2. NOTICE OF REVISION (NOR)   DISTRIBUTION   / /
3.   ATTACHED**   / /

4. DI-CMAN-80642C*

5. SECTION C

6. AMSTA-AR-QAW   7. LT 8. -   9. ***

10. ASREQ   11. ---   15. TOTAL   0/ 0/ 0

12. ASREQ   13. ASREQ

16. REMARKS
    *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION
FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN

GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT
ELECTRONICALLY TO ECP-INPUT@ RIA.ARMY.MIL. ELECTRONIC FILES MUST BE
LESS THAN 7MB.
 THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-
LINKS.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM.
(DD FORMS 1692,1694 AND 1695)
    ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE
DOD CONFIGURATION MANAGER.
The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachm
ents.html

DATE:
11/13/2003

16.   NSN 5340-01-129-6089, TDP 12308189, PAD CUSHIONING

```
                      CONTRACT DATA REQUIREMENTS LIST
                         DD FORM 1423 (MECHANIZED)
              CATEGORY:  MISC    SYSTEM/ITEM: SEAT,VEHICULAR
      TO CONTRACT/PR:
   1. SEQUENCE NUMBER                              14.
   DRFT/REG/REPRO

                                                  DISTRIBUTION
   COPIES
   2. TITLE OF DATA ITEM
   3. SUBTITLE
   4. DATA ITEM NUMBER
   5. CONTRACT REFERENCE
   6. TECHNICAL OFFICE   7. DD  8. APP  9. DIST STATEMENT
                            250    CODE     REQUIRED
   10. FREQUENCY  11. AS OF DATE                     15.  TOTAL:
   12. DATE OF 1ST SUBMISSION   13. DATE OF SUBSEQUENT SUBMISSION
   16. REMARKS
```

```
   1. A001                                   14.
                                             SEE ADDRESS CODE    / /
   2. ENGINEERING CHANGE PROPOSAL (ECP)      DISTRIBUTION        / /
     3.                                      ATTACHED***         / /
   4. DI-CMAN-80639C*

   5. SECTION C

   6. AMSTA-AR-QAW      7. LT  8. -    9. **

   10. ASREQ     11. ---                         15. TOTAL    0/
   0/ 0

   12. ASREQ                 13. ASREQ
   16. REMARKS
      *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION
   FOR CONTENT OF THE ECP.  CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE
   IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE).  **DIST STATEMENT
   WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR.
   ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL.  ELECTRONIC FILES
   MUST BE LESS THAN 7MB. THE FORMS
      LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-
   LINKS.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM.(DD
   FORMS 1692,1694,1695)
```
```
   1. A002                                   14.
                                             SEE ADDRESS CODE    / /
   2. REQUEST FOR DEVIATION (RFD)            DISTRIBUTION        / /
     3.                                      ATTACHED***         / /
   4. DI-CMAN-80640C*
```

5. SECTION C

6. AMSTA-AR-QAW   7. LT 8. -   9. **

10. ASREQ   11. ---   15. TOTAL   0/ 0/ 0

12. ASREQ   13. ASREQ
16. REMARKS
    *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION
FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE
POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION
SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE
IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION
STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR.
***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES
MUST BE LESS THAN 7MB. THE FORMS LOCATED AT
    HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM ARE THE
PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694
AND 1695)

1. A003	14.
	SEE ADDRESS CODE / /
2. NOTICE OF REVISION (NOR)	DISTRIBUTION / /
3.	ATTACHED** / /

4. DI-CMAN-80642C*

5. SECTION C

6. AMSTA-AR-QAW   7. LT 8. -   9. ***

10. ASREQ   11. ---   15. TOTAL   0/ 0/ 0
12. ASREQ   13. ASREQ

16. REMARKS
    *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION
FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN
GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT
ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS
THAN 7MB. THE FORMS LOCATED AT
HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM ARE THE
PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694
AND 1695)
    ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE
DODCONFIGURATION MANAGER.
The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachm
ents.html

1.A004	14.
	PROCUREMENT / /
2. TEST PROCEDURE/ PHOSPHATE COATING PRE-	CONTRACTING / /

3. PRODUCTION PROCEDURE   OFFICER   /
1/

4. DI-NDTI-80603*

5. MIL-DTL-16232,PARA 3.1

6. AMSTA-AR-WEP-RM   7. XX 8. A   9. N/A

10. ONE/R   11. N/A   15. TOTAL   0/
1/ 0

12. 60 DAC   13. N/A

16. REMARKS
   BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING
   OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD. A DD FORM
   250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL.
   CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM
   COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

---

30 JUNE 2003

17. NSN 5340-01-129-6088, TDP 12308186, PAD CUSHIONING

NO CDRL AVAILABLE FOR THIS NATIONAL STOCK NUMBER

18. NSN 6650-01-078-7732, TDP 12282153, HEADREST, OPTICAL INSTRUMENT

CONTRACT DATA REQUIREMENTS LIST

CATEGORY: MISC   SYSTEM/ITEM: HEADREST, OPTICAL INSTRUMENT
TO CONTRACT/PR:

1. SEQUENCE NUMBER   14.   DRFT/REG/REPRO
                             DISTRIBUTION   COPIES
2. TITLE OF DATA ITEM
3. SUBTITLE
4. DATA ITEM NUMBER
5. CONTRACT REFERENCE
6. TECHNICAL OFFICE   7. DD   8. APP   9. DIST STATEMENT
                          250   CODE   REQUIRED
10. FREQUENCY   11. AS OF DATE
12. DATE OF 1ST SUBMISSION   13. DATE OF SUBSEQUENT SUBMISSION

---

1. A001   14.
                               SEE ADDRESS CODE   / /
2. ENGINEERING CHANGE PROPOSAL (ECP) DISTRIBUTION   / /
3.   ATTACHED***   / /

4. DI-CMAN-80639C*

5. SECTION C

6. AMSRD-AAR-AIC-T   7. LT   8. -   9. **

10. ASREQ   11. ---   15. TOTAL   0/ 0/ 0

12. ASREQ   13. ASREQ

16. REMARKS
   *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR
   CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN
   GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). ** DIST STATEMENT
   WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR.
   ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES
   MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-
   DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM ARE THE PREFERRED
   METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS)

1. A002	14.		
	SEE ADDRESS CODE	/ /	
2. REQUEST FOR DEVIATION (RFD) ****	DISTRIBUTION	/ /	
3.	ATTACHED***	/ /	

4. DI-CMAN-80640C*

5. SECTION C

6. AMSRD-AAR-AIC-T   7. LT   8. -   9. **

10. ASREQ   11. ---   15. TOTAL   0 / 0/ 0

12. ASREQ   13. ASREQ

16. REMARKS
   *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR
   CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE
   POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION
   SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE
   IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION
   STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR.
   ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES
   MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-
   DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM ARE THE PREFFERED
   METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS) **** THE
   CONTRACTOR SHALL IDENTIFY IF THE RFD IS PRIOR TO MFG OR NON-CONFORMING
   MTRL. A PRIOR TO MFG DESCRIBES A PROPOSED DEPARTURE FROM CONFIG DOCS
   FOR A SPECIFIC NUMBER OF UNITS OR FOR A SPECIFIED PERIOD OF TIME. A NON-
   CONFORMING MTRL RFD IS USED TO OBTAIN AUTH TO DELIVER NON-CONFORMING
   MTRL WHICH DOES NOT MEET THE CONFIG DOCS BUT IS SUITABLE FOR USE AS IS
   OR AFTER REPAIR.

1. A003	14.		
	SEE ADDRESS CODE	/ /	
2. NOTICE OF REVISION (NOR)	DISTRIBUTION	/ /	
3.	ATTACHED**	/ /	

4. DI-CMAN-80642C*

5. SECTION C

6. AMSRD-AAR-AIC-T 7. LT   8. -   9. ***

10. ASREQ   11. ---

15. TOTAL   0 / 0 / 0

12. ASREQ   13. ASREQ

16. REMARKS
   *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR
   CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST IN GOVT
   COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). ** SUBMIT ELECTRONICALLY
   TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB.
   FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-
   LINKS.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM.
   ***THE DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD
   CONFIGURATION MANAGER.

DATE: 26 AUG 2004